

K 470 Universal Box

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.

Product description

- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous goods possible at additional charge.
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- 25 standard sizes, customised sizes on request.
- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K 470 containers from basic dimensions of 750 x 550 mm.



Hints and special features

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

IP 65 rating available at add charge.

Embossing available at additional cost.

Product features

Colour of the stacking corners: Natural aluminium

Fasteners: Comfort fasteners

Handles: Sprung drop handles

Integrated wheels: No

Material: Aluminium

Material of the stacking corners: Aluminium

Seal: foamed lid seal

Stacking corners: Yes

Warranty: 10 years

Product variants

Order number	Corner beading	Internal dimensions L x W x H	Matching foam lining	Max. gross weight dangerous goods permission	Outside dimensions L x W x H	Peripheral beading	Volume	Weight
40835	No	350 mm x 250 mm x 150 mm	43860	26 kg	approx. 400 mm x approx. 300 mm x	No	13 l	2.6 kg



Order number	Corner beading	Internal dimensions L x W x H	Matching foam lining	Max. gross weight dangerous goods permission	Outside dimensions L x W x H	Peripheral beading	Volume	Weight
					approx. 180 mm			
40677	Yes	350 mm x 250 mm x 310 mm	43861	58 kg	approx. 400 mm x approx. 300 mm x approx. 340 mm	No	27 l	3.1 kg
40810	No	550 mm x 350 mm x 150 mm	43862	60 kg	approx. 600 mm x approx. 400 mm x approx. 180 mm	No	29 l	4.2 kg
40568	Yes	550 mm x 350 mm x 220 mm	43863	65 kg	approx. 600 mm x approx. 400 mm x approx. 250 mm	No	42 l	4.8 kg
40678	Yes	550 mm x 350 mm x 310 mm	43864	70 kg	approx. 600 mm x approx. 400 mm x approx. 340 mm	Yes	60 l	5 kg
40564	Yes	550 mm x 350 mm x 380 mm	43865	75 kg	approx. 600 mm x approx. 400 mm x approx. 410 mm	Yes	73 l	5.3 kg
40849	Yes	550 mm x 550 mm x 220 mm	43866	65 kg	approx. 600 mm x approx. 600 mm x approx. 250 mm	No	66 l	5.6 kg
40859	Yes	550 mm x 550 mm x 380 mm	43867	75 kg	approx. 600 mm x approx. 600 mm x approx. 410 mm	Yes	115 l	6.6 kg
40836	Yes	550 mm x 550 mm x 580 mm	43868	94 kg	approx. 600 mm x approx. 600 mm x approx. 610 mm	Yes	175 l	7.8 kg
40837	Yes	600 mm x 430 mm x 450 mm	43869	70 kg	approx. 650 mm x approx. 480 mm x approx. 480 mm	Yes	116 l	6.5 kg
40839	Yes	600 mm x 560 mm x 440 mm	43871	83 kg	approx. 650 mm x approx. 610 mm x approx. 470 mm	Yes	148 l	7.4 kg



Order number	Corner beading	Internal dimensions L x W x H	Matching foam lining	Max. gross weight dangerous goods permission	Outside dimensions L x W x H	Peripheral beading	Volume	Weight
					mm			
40841	Yes	690 mm x 460 mm x 380 mm	43873	71 kg	approx. 740 mm x approx. 510 mm x approx. 410 mm	Yes	121 l	6.9 kg
40842	Yes	690 mm x 640 mm x 340 mm	43874	84 kg	approx. 740 mm x approx. 690 mm x approx. 370 mm	Yes	150 l	8 kg
40843	Yes	690 mm x 640 mm x 430 mm	43875	100 kg	approx. 740 mm x approx. 690 mm x approx. 460 mm	Yes	190 l	8.6 kg
40565	Yes	750 mm x 550 mm x 380 mm	43877	102 kg	approx. 800 mm x approx. 600 mm x approx. 410 mm	Yes	157 l	10 kg
40566	Yes	750 mm x 550 mm x 580 mm	43878	126 kg	approx. 800 mm x approx. 600 mm x approx. 610 mm	Yes	239 l	12 kg
40844	Yes	780 mm x 480 mm x 520 mm	43879	103 kg	approx. 830 mm x approx. 530 mm x approx. 550 mm	Yes	195 l	11.1 kg
40845	Yes	900 mm x 480 mm x 400 mm	43880	93 kg	approx. 950 mm x approx. 530 mm x approx. 430 mm	Yes	173 l	11 kg
40846	Yes	900 mm x 640 mm x 450 mm	43881	115 kg	approx. 950 mm x approx. 690 mm x approx. 480 mm	Yes	259 l	13.4 kg
40567	Yes	950 mm x 450 mm x 380 mm	43882	65 kg	approx. 1.000 mm x approx. 500 mm x approx. 410 mm	Yes	162 l	10.9 kg
40847	No	1.150 mm x 350 mm x 150 mm	43887	50 kg	approx. 1.200 mm x approx. 400 mm x approx. 180 mm	No	60 l	7.5 kg



Order number	Corner beading	Internal dimensions L x W x H	Matching foam lining	Max. gross weight dangerous goods permission	Outside dimensions L x W x H	Peripheral beading	Volume	Weight
40580	Yes	1.150 mm × 750 mm × 480 mm	43884	183 kg	approx. 1.200 mm × approx. 800 mm × approx. 510 mm	Yes	414 l	20 kg
40848	Yes	1.350 mm × 400 mm × 220 mm	43888	65 kg	approx. 1.400 mm × approx. 450 mm × approx. 250 mm	No	119 l	9.5 kg
40875	Yes	1.550 mm × 550 mm × 465 mm	43885	150 kg	approx. 1.600 mm × approx. 600 mm × approx. 495 mm	Yes	396 l	25 kg
40876	Yes	1.650 mm × 750 mm × 670 mm	43886	200 kg	approx. 1.700 mm × approx. 800 mm × approx. 700 mm	Yes	829 l	30 kg